

# Superline Braided, Dyneema 100%

It is ideal for the optimist boats, but also for spear gun.

Code	63452	63156	63453
Diameter (mm)	1	2	3
Colour	red/ black-white	yellow/ black-white	blue/ black-white
Length (m)		200	
Breaking Load (kg)	100	130	360





### Wind-Surf Rope

Made of Polyester high tenacity, UV protected, with a very large variety of colours. This product is excellent to be used as flag rope.



Code	Diameter / Colour	Length (m)	Breaking Load (kg)
92125	2mm / blue		40
92128	3mm / blue		90
98995	4mm / blue		110
98998	5mm / blue	200	130
99000	5mm / yellow	200	130
99001	6mm / blue	ľ	150
99002	6mm / red		150
99003	6mm / yellow		150

# Hoisting Ropes & Hallyards





Scotta rope for racing yaghts
Polyester double braid is an extremely flexible, long wearing manufacturing that is easy to splice and ideal for all types of running. During manufacturing, a special tension setting process removes most of the residual elongation, while adding dimensional stability. This assures that this rope will maintain the same easy handling qualities throughout its service life.



# Cruising Rope "Halyard"

The specific rope has excellent halyard performances. The special core workmanship, prestretched and three strand workmanship gives exceptional quality to the high resistance and the low stretching.

Code	Diameter / Colour	Length (m)	Breaking Load (kg)
94789	6mm / blue		770
94790	6mm/red		770
94791	8mm / blue	1	1.330
94792	8mm / red		1.330
94793	10mm / blue	200	2.150
94794	10mm / red	200	2.130
98994	12mm / blue		2.860
71747	12mm / red		2.000
94797	14mm / blue		4.190
94798	14mm / red		4.130

Code	Diameter / Colour	Length (m)	Breaking Load (kg)
92066	4mm / white with blue braid		330
92074	6mm / white with blue braid		770
92078	8mm / white with blue braid	200	1.330
92082	10mm / white with blue braid	200	2.150
92086	12mm / white with blue braid		2.860
92090	14mm / white with blue braid		4.190

Code	Diameter / Colour	Length (m)	Breaking Load (kg)
92006	3mm / white with red braid		230
92009	4mm / white with blue braid		360
92013	5mm / white with blue braid		500
92017	6mm / white with blue braid		840
92020	8mm / white with black braid		
92021	8mm / white with blue braid	200	1.460
92022	8mm / white with red braid		
92025	10mm / white with blue braid		2 360
92026	10mm / white with red braid		2.300
92029	12mm / white with blue braid		3.170
92030	12mm / white with red braid		5.170





#### Breaking Load Length Code Diameter (kg) (m) 3/16" (5mm) 90550 90551 1/4" (6mm) 200 90552 5/16" (8mm) 110

Marine shock cord, covered by polyester for

nautical uses





Code	Diameter (mm)	Weight (gr)
90587	5	15
90588	6	15
90589	8	20



# Wire Accessories



Copper sleeves	Co	p	per	s	lee	ves
----------------	----	---	-----	---	-----	-----

Code	92660	92661	92662	92663	92664	92665
Diameter (mm)	2	2,5	3	4	5	6

# Rigging Accessories



Delta Ring, No 80, Inox 304 Code...00003



D-Ring, 50mm, Inox 304 Code...00153









Single Block with Becket, 10mm Code..10132



Fiddle Block, 10mm Code..10133

# Winch Handles



Cam Cleats & Accessories



Cam Cleat 3-8mm Code..10141



Cam Cleat 8-12mm Code..10142







Top fairlead for cam cleat

Code	92564	92565	92566	92567	92573	92574
For cam cleat		10	141		10°	142
Colour	Black	Red	Yellow	Blue	Black	Red







26	
Code	Dimensions (mm)
70623	6x50
70624	8x50
70625	10x65



Urethane UNIVERSAL joint suits

Code......95854

### Bosun's Chairs

**ADVISOR** 

# A Bosun's chair is a special chair designed for use both on boats and

at any environment involving work at height. A bosun's chair gives you the freedom to accomplish many tasks at certain heights, but keeping you safe at the same time. Lalizas offer you two types of bosuns chair that are intended for professional or personal use

#### Instructions of Use

In order to use the chair safely, it is important that it is fitted correctly. The bosun's chair is worn under your legs and then the straps and safety belts are adjusted giving you a good fit but it is not too loose or tight. Finally, secure the halyard to the D-Rings. Under no circumstances should you use a snap hook instead of halyard, as it is not as strong and cannot hold much weight. The harnesses should have a perfect fit on your body. For your safety, Lalizas suggest that you also use a special safety harness in combination with the bosun's chair.

#### Maintenance / Replacement

Like all Lalizas products, bosun's chairs are constructed according to the highest quality construction standards, so that they last and offer you safety, without being uncomfortable. Nevertheless, you should take care of your bosun's chair in order to maintain all it's functions. Such products should not come in contact with extreme temperatures and sharp surfaces. Also after each use, they should be washed in clear water. If you do not use it properly and you notice any cuts or tears on the chair or its straps, you should replace it immediately.





#### Professional Bosun's Chair

The Lalizas Professional Bosun's Chair has been designed according to the highest quality standards, so that it can be used by professionals.

# Safety Bosun's Chair

This bosun's chair is made of reinforced Nylon 210D with PVC backing, 0,35mm thick. It comes complete with safety sraps for added security, fitted side pockets for tools and a padded wooden seat. Lalizas offers you a bosun's chair to allow you to work comfortably, safely and in balance.

Code.....10080

- 1) Reinforced Nylon with PVC backing and PP webbing
- 2) Supreme comfort for extended time aloft
- 3) Comfortable wrap-around back
- 4) Adjustable strap between the legs for extra safety
- 5) Stows in its own bag, which becomes a tool pouch when the chair is in use
- 6) Attached side tool case
- 7) Pocket to fit an optional wooden seat (code: 00169)
- 8) Retroreflective tapes for better visibility
- 9) Floats in the water when it is empty



Wooden Seat for Professional Bosun's Chair 10210

Code.....01169

### Rigging & Sail Repair Tapes

#### Mounting Tape, white

Fixing on-board now becomes far easier, with this double-sided adhesive tape. It is suitable for mounting pictures or any other decoration on most types of dry and smooth surfaces.





Code	Dimensions
11850	2mm x18mm x 1.6m

### Instructions of Use

Use 10cm (4") of tape for every 227 gr of the item to be mounted. The tape is suitable for objects with maximum weight up to 900gr.

- 1. Cut the tape at the necessary length. Do not remove the protective liner
- 2. Press the tape on the back of the item to be mounted. Press firmly on the liner for a better result.
- 3. Remove the liner and press the object firmly onto the bulkhead







Note: If you wish to remove the mounted item, insert a knife behind the mounted item and cut the tape between the two surfaces. Do not pull the item, this will avoid damaging either the surface or the item itself.

### Masking Tape, cream

A general-purpose tape, suitable for holding, sealing, as well as surface protecting. It has been designed for indoor use but also for extended outdoor use, since it can withstand up to  $80^{\rm o}{\rm C}$  temperature. Supplied in cream and 3 different sizes



Code	Dimensions
11851	20mm x 50m
11852	25mm x 20m
11853	50mm x 50m



### Self-Adhesive Velcro

Code	Dimensions
11553	20mm x 1m



## Vinyl Foam Thermal & Sound Insulating Tape, black

This thermal & sound insulating tape is suitable for pipeline protection from freezing, and increasing insulation. As an additional bonus, use of this tape will also increase sound insulation. It can also be used between the hull and the sole boards, so as to minimize any potential squeaking noises. The tape is available in different sizes.



Code	Dimensions	
11854	50mm x 5m	
11855	25mm x 5m	



# Sail Repair Tape, white

Code	Dimensions
11844	100mm x 1,5m



Sail Repair Tape, clear

Code	Dimensions	
11554	50mm x 3m	
11555	100mm x 3m	

# Marine Duct Tape

Duct tape is a waterproof cloth tape, which can be used in numerous indoor or outdoor jobs and repairs. It is supplied in several colours and two different sizes.



Code	Dimensions	Color
11545	50mm x 5m	Black
11546	50mm x 5m	White
11547	50mm x 5m	Red
11548	50mm x 5m	Blue
11549	50mm x 5m	Silver
11550	50mm x 50m	Black



### Spinnaker/Sail repair tape, white

Code	Dimensions
11845	4,5m x 50mm



### Nonslip Tape, General Purpose

Code	Dimensions	Colour
11846	25mm x 5m	Black
11847	25mm x 5m	White



Marine Neoprene Tape "Hatchseal"

Code	Dimensions	Color
11551	3m x 19mm x 3mm	Black
11552	3m x 19mm x 6mm	Black



# Nonslip Tape, with elasticity

Code	Dimensions	Colour
11848	25mm x 5m	Black
11849	25mm x 5m	Grey

Webbing & Webbing Adjusters



Code	Description	
00043	Polyester Webbing 25mm, 0,9mm thickness, White, (Roll 50m)	
02035	Polyester Webbing 25mm - Yellow - (Roll 50m)	
02262	Polyester Webbing 25mm, 1,3mm thickness, White, (Roll 50m)	



Strap regulator Code 00071 Colour Blue



Delta Ring, No 80



D-Ring, 50mm





Buckle female, 50mm Code...00152





Buckle male, 50mm Code...00151

Code...00153

www.lalizas.com